

SELHOT

WATERPROOF

DISTRIBUTION BOX

「防水」配电箱系列

产品选型手册



浙江胜和电器有限公司
ZHEJIANG SELHOT ELECTRIC CO.,LTD.

The image features a large, semi-transparent 'SELHOT' logo in the center, overlaid on a background of a modern cable-stayed bridge with a prominent white pylon. The sky is a mix of blue and grey, suggesting an overcast day. The bridge spans across a body of water, with a city skyline visible in the distance.

SELHOT

Zhejiang Selhot Electrical Appliance Co., Ltd., located in the scenic Yandang Mountain 5A Scenic Area in Wenzhou, Zhejiang Province, is a modern Yueqing Economic Development Zone specializing in the production and sales of exposed and concealed distribution boxes and waterproof boxes. The product series and specifications are complete, the appearance design is novel and unique, and the quality is reliable and guaranteed. It is committed to providing customers with more safe, reliable and serialized power supporting products, and deeply studies the characteristics of the industry to launch more personalized system services.

"Innovation, high quality and reliability" has been the philosophy and value of Selhot Electric Appliance Company for 20 years. Adhering to this philosophy, the products have been successfully applied in various domestic electric field stations, including construction sites, outdoor charging piles, ports and docks, airports, hospitals, tunnels, banks, stadiums, communications, electronics and other fields. The products are exported to Australia, Southeast Asia, the Middle East and other foreign regions, and are well received by customers.

Selhot Electric Appliance Company fully guarantees the communication with customers, understands the potential products required by customers in detail, and focuses on the research and development of high-end products applicable to the market. It also has a perfect logistics system and inventory guarantee. From pre-sales to after-sales, it standardizes the service process, ensures product quality, and pays close attention to the actual application of customers.

Change is a mission. Selhot Electric firmly believes that in the challenging future world, the innovation concept of "harmony without difference" that we uphold will open up a new history. We are not only the driving force of economic development, but also a new force to change the way of working, thinking and living.

胜和·做好每一件产品

好产品的秘诀在于 控制每一道工序



Outstanding electrical Solution

浙江胜和电器有限公司，坐落于浙江温州风景旖旎的雁荡山 5A 景区，具有现代气息的乐清经济开发区，是一家专业从事生产、销售明、暗装配电箱，防水盒的厂家。产品系列、规格齐全，外观设计新颖独特，品质可靠有保障，致力于为客户提供更安全、可靠、系列化的电力配套产品，并深入研究行业特点，推出更具个性化的系统服务。

“创新、高品质及可靠性”是胜和电器公司 20 年来的理念和价值观，秉承这样的理念，使得产品成功广泛运用于国内各种用电场所，在工地、户外充电桩、港口码头、机场、医院、隧道、银行、体育馆、通信、电子等领域均得到成功应用。产品远销澳洲、东南亚、中东等国外地区，并深受客户的青睐与好评。

胜和电器公司充分保证与客户的交流，详细了解客户所需潜在的产品，着力研发适用市场前端精品。并拥有完善的物流体系和库存保障，从售前到售后，规范服务流程，保证产品质量，密切关注客户的实际应用。变革就是使命，胜和电器坚信，在充满挑战的未来世界中，我们所秉承“胜券在握，和而不同”的创新理念将开创新的历史，我们不仅是经济发展的动力，更要成为改变工作方式、思维方式和生活方式注入崭新的力量。

SELHOT

Professional for many years
Just do one thing

深耕二十余年，只为做好一件事

防水配电箱
解决方案供应商

我们通过倾听客户的意见来更好地理解产品的价值，通过了解客户来了解产品的发展方向。凭借客户导向的理念，胜和电器创造了从民用产品到工业产品。每一步都见证了智能电力系统的发展，并考虑了客户的需求。现在我们的配电箱仍然期待你的声音。

We can better understand the value of products by listening to customers' opinions, and understand the development direction of products by understanding customers. With the concept of customer orientation, Selhot Electric has created products ranging from civil products to industrial products. Each step witnessed the development of intelligent power system and considered the needs of customers. Now our distribution box still expects your voice.

企业资质 Enterprise qualification



SELHOT



深耕二十余年，只为做好一件事
Pursue zero product Defect

Strict quality control

为产品质量提供可靠的安全保证



Green and circular economy

产品环保合规性和环保信息透明性

绿色与循环经济

胜和电器“绿色与循环经济”项目通过提供贯穿全生命周期的生态设计产品，服务和解决方案，为客户带来环境表现方面的差异化价值。胜和电器产品不仅满足环境表现方面的法律法规，也让客户轻松获取胜和电器产品环境表现的信息披露。我们在绿色与循环经济领域做出的投入帮助客户降低资源消耗，优化投资回报，保护其员工及客户健康，获得更高的客户认同和行业声誉。

The "green and circular economy" project of Shenghe Electric brings differentiated value to customers in terms of environmental performance by providing Ecological design products, services and solutions throughout the life cycle. Shenghe Electrical Products not only meet the laws and regulations on environmental performance, but also allow customers to easily obtain information disclosure on the environmental performance of Shenghe Electrical Products. Our investment in the field of green and circular economy helps customers reduce resource consumption, optimize investment returns, protect the health of their employees and customers, and gain higher customer recognition and industry reputation.



关注光伏与风电

传统能源使用造成了全球三分之二的温室气体排放，向绿色清洁能源转型是应对气候变化的当务之急。根据能源电力十四五发展规划，截至2025年非化石燃料占比将在总能源消耗中提升20%，并提出了在2030年碳排放量达到峰值，2060年实现碳中和的目标。

未来数十年，光伏和风电等可再生能源将成为电力供应体系中不可或缺的重要组成部分。胜和电器将积极投身中国的绿色能源转型。大力投资光伏与风电项目和相关技术创新，服务于经济和社会的可持续发展。



关注绿色环保

绿色低碳环保的核心是降低碳排放。采取绿色发展方式进行经济发展，全面提升环境保护意识，减少对自然环境的破坏，保护生态环境。胜和电器要求每位员工都严格落实低碳发展的政策，并将低碳环保的思想根植于企业的每一处。

绿色低碳环保是一个严峻的主题。需要绿色低碳有切实措施，推动低碳环保。而社会和每一个人都发挥着举足轻重的作用。胜和电器需承担社会责任，努力实现真正的绿色低碳环保。



关注碳排放

全球多地遭遇高温“灾情”，极端气候频频刷新历史记录。温室气体排放导致全球变暖的趋势再度成为社会关注焦点。积极应对气候变化，推动绿色低碳发展，是全人类共同的期待，也是人类社会共同的责任。


近年来，胜和电器加快产业结构和能源结构优化调整，不断加强生产、物料、研发等重点环节绿色低碳转型。绿色低碳生产方式渗透到企业的每个角落。

SELHOT



www.selhotele.com







Production workshop 厂房车间

要想不断发展、创新、壮大企业，必须走向国际化，而先进的加工设备是企业实力的象征，系列的检测设备是胜和品质的保证。公司自成立之初就对生产设备的革新与改造从未有过一丝松懈，同时为设备的改造与革新投入了大量的资金，这些先进的设备给优质生产带来了极大的方便和极高的效益，从而保证了产品的质量，满足了需求。

In order to continuously develop, innovate and expand the enterprise, we must go international. Advanced processing equipment is a symbol of the strength of the enterprise, and a series of testing equipment is a guarantee of success and quality. Since its inception, the company has never been lax in the innovation and transformation of production equipment. At the same time, it has invested a lot of money in the transformation and innovation of equipment. These advanced equipment have brought great convenience and high efficiency to high-quality production, thus ensuring the quality of products and meeting the demand.

SELHOT

SHPZ

防水配电箱系列

Waterproof distribution box series



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准: IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and anti-corrosion
Standard: IEC60670-24 GB/T17466.24




概述 /Summary

防水、防尘、防护等级 IP66，抗紫外线，灼热丝 650°C，可根据客户要求随意开孔，规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP66, UV resistant, and a scorching wire temperature of 650 °C. Holes can be opened according to customer requirements, with complete specifications and convenient installation.



型号 Model	SHPZ: 长 202×宽 107×高 92.5	尺寸图 Dimension drawing
----------	--------------------------	-----------------------



SELHOT

SHXC 直流断路器 防水盒系列 DC circuit breaker waterproof box series



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准：IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and anti-corrosion
Standard: IEC60670-24 GB/T17466.24




概述 /Summary

防水、防尘、防护等级 IP66，抗紫外线，灼热丝 650°C，可根据客户要求随意开孔，规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP66, UV resistant, and a scorching wire temperature of 650 °C . Holes can be opened according to customer requirements, with complete specifications and convenient installation.



型号 Model	SHXC: 长 276 × 宽 154 × 高 145	尺寸图 Dimension drawing
----------	-----------------------------	-----------------------



SELHOT

SHEN

电气防水盒系列

Electrical waterproof box series



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准：IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and
anti-corrosion
Standard: IEC60670-24 GB/T17466.24




概述 /Summary

防水、防尘、防护等级 IP66, 抗紫外线, 灼热丝 650°C, 可根据客户要求随意开孔, 规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP66, UV resistant, and a scorching wire temperature of 650 °C . Holes can be opened according to customer requirements, with complete specifications and convenient installation.

型号 Model SHEN: 长 141.3× 宽 56× 高 91.3

尺寸图 Dimension drawing



SELHOT

SHPN

防水配电箱系列

Waterproof distribution box series



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准：IEC60670-24 GB/T17466.24



Suitable for special occasions such as waterproof, dustproof and anti-corrosion
Standard: IEC60670-24 GB/T17466.24



概述 /Summary

防水、防尘、防护等级 IP66，抗紫外线，灼热丝 650℃，可根据客户要求随意开孔，规格齐全安装方便。


Waterproof, dustproof, with a protection level of IP66, UV resistant, and a scorching wire temperature of 650 °C. Holes can be opened according to customer requirements, with complete specifications and convenient installation.






型号 Model SH9PN: 长 200 × 宽 219 × 高 100

尺寸图 Dimension drawing




型号 Model SH12PN: 长 229 × 宽 273 × 高 109

尺寸图 Dimension drawing



型号 Model SH18PN: 长 229 × 宽 381 × 高 109


尺寸图 Dimension drawing






型号 Model SH24PN: 长 381 × 宽 274 × 高 109

尺寸图 Dimension drawing



型号 Model SH36PN: 长 532 × 宽 274 × 高 109

尺寸图 Dimension drawing



SELHOT

防水配电箱系列
Waterproof distribution box series

SHA



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准：IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and anti-corrosion

Standard: IEC60670-24 GB/T17466.24



防水、防尘、防护等级 IP65，抗紫外线，灼热丝 650℃，可根据客户要求随意开孔，规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP65, UV resistant, and a scorching wire temperature of 650 °C. Holes can be opened according to customer requirements, with complete specifications and convenient installation.

产品尺寸 / Product size

型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
SHA-4P	143	210	100	
SHA-8P	215	210	120	
SHA-12P	298	260	140	
SHA-18P	410	285	140	
SHA-24P	298	420	140	
SHA-36P	298	570	140	

SELHOT

SHT 防水配电箱系列 Waterproof distribution box series



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准: IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and anti-corrosion

Standard: IEC60670-24 GB/T17466.24






概述 /Summary

防水、防尘、防护等级 IP66，抗紫外线，灼热丝 650℃，可根据客户要求随意开孔，规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP66, UV resistant, and a scorching wire temperature of 650 °C. Holes can be opened according to customer requirements, with complete specifications and convenient installation.

产品尺寸 /Product size



SELHOT

防水配电箱系列 Waterproof distribution box series

HT



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准：IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and anti-corrosion
Standard: IEC60670-24 GB/T17466.24



概述 /Summary

防水、防尘、防护等级 IP65，抗紫外线，灼热丝 650℃，可根据客户要求随意开孔，规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP65, UV resistant, and a scorching wire temperature of 650 °C. Holes can be opened according to customer requirements, with complete specifications and convenient installation.

产品尺寸 /Product size


型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
HT-2P	55	120	95	
HT-5P	119	159	90	
HT-8P	201	155	90	
HT-12P	255	198	108	
HT-15P	309	198	108	
HT-18P	363	198	108	
HT-24P	354	273	108	

SELHOT

透明保护窗罩

Transparent protective
window cover

SHW



特点 /Characteristic

PC 材料，防水、防尘、防护等级 IP67


PC material, waterproof, dustproof, and protection level IP67



附件 1/Annex 1

D 型 吊装支架: ① 吊装支架、② 吊装支架螺丝、③ 导轨、④ 导轨安装螺丝

D-type lifting bracket: ① lifting bracket, ② lifting bracket screws, ③ guide rail, ④ guide rail installation screws



附件 2/Annex 2

X 型 下装可调支架: ① 导轨、② 可调支撑片、③ 螺丝





X-type lower adjustable bracket: ① guide rail, ② adjustable support plate, ③ screw



产品尺寸 / Product size


型号 Model	外形尺寸 (mm) L×W×H External Size
SHW-02A (2 回路)	长 101×宽 57×高 28
SHW-03A (3 回路)	长 101×宽 75×高 28
SHW-04A (4 回路)	长 101×宽 93×高 28
SHW-06A (6 回路)	长 101×宽 124×高 28
SHW-08A (8 回路)	长 101×宽 160×高 28
SHW-09A (9 回路)	长 101×宽 178×高 28
SHW-10A (10 回路)	长 101×宽 196×高 28
SHW-12A (12 回路)	长 101×宽 232×高 28

型号 Model	外形尺寸 (mm) L×W×H External Size
SHW-13A (13 回路)	长 101×宽 250×高 28
SHW-16A (16 回路)	长 101×宽 304×高 28
SHW-18A (18 回路)	长 101×宽 340×高 28
SHW-24A (24 回路)	长 101×宽 448×高 28
SHW-86A (86 型)	长 129.5×宽 107×高 32.5
SHW-100A (100 型)	长 143×宽 121×高 32.5
SHW-144A (144 型)	长 149×宽 175×高 32.5







型号 Model SHW-08A (8回路) : 长 101×宽 160×高 28 尺寸图 Dimension drawing




型号 Model SHW-09A (9回路) : 长 101×宽 178×高 28 尺寸图 Dimension drawing



型号 Model SHW-10A (10回路) : 长 101×宽 196×高 28 尺寸图 Dimension drawing




型号 Model SHW-12A (12回路) : 长 101×宽 232×高 28 尺寸图 Dimension drawing







型号 Model SHW-13A (13回路) : 长101×宽250×高28 尺寸图 Dimension drawing




型号 Model SHW-16A (16回路) : 长101×宽304×高28 尺寸图 Dimension drawing



型号 Model SHW-18A (18回路) : 长101×宽340×高28 尺寸图 Dimension drawing




型号 Model SHW-24A (24回路) : 长101×宽448×高28 尺寸图 Dimension drawing







型号 Model SHW-86A (86型) : 长 129.5×宽 107×高 32.5 尺寸图 Dimension drawing



型号 Model SHW-100A (100型) : 长 143×宽 121×高 32.5 尺寸图 Dimension drawing



型号 Model SHW-144A (144型) : 长 149×宽 175×高 32.5 尺寸图 Dimension drawing



SELHOT

金属搭扣防水盒系列 Metal buckle waterproof box series

SHK



特点 /Characteristic

通过 CE、RoHS 检测认证，即使在作业的时候下起大雨也是不会进水的，非常安全。

Through CE and RoHS testing certification, even if it rains heavily during work, it will not enter the water, making it very safe.



概述 /Summary

防水、防尘、防护等级 IP66，抗紫外线，可根据客户要求随意开孔，规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP67 and UV resistance, holes can be opened according to customer requirements, with complete specifications and convenient installation.

产品尺寸 /Product size

型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
10015090	100	150	90	
12517590	125	175	90	
15015090	150	150	90	
175275110	175	275	110	
200300130	200	300	130	

SELHOT

防水隔离开关 Waterproof isolation switch UKF



特点 /Characteristic

防水、防尘、防护等级 IP65，抗紫外线，灼热丝 650°C

Waterproof, dustproof, protection level IP65, UV resistant, hot wire 650 °C



产品尺寸 / Product size

型号 Model	参数 Parameter	尺寸图 Dimension drawing
UKF1-20	1P 20A 250V. 最大外径 15mm ² 的电缆。 1P 20A 250V. Cable with a maximum outer diameter of 15mm ²	
UKF1-35	1P 35A 250V. 最大外径 15mm ² 的电缆。 1P 35A 250V. Cable with a maximum outer diameter of 15mm ²	
UKF1-63	1P 63A 250V. 最大外径 15mm ² 的电缆。 1P 63A 250V. Cable with a maximum outer diameter of 15mm ²	
UKF2-20	2P 20A 440V. 最大外径 15mm ² 的电缆。 2P 20A 440V. Cable with a maximum outer diameter of 15mm ²	
UKF2-35	2P 35A 440V. 最大外径 15mm ² 的电缆。 2P 35A 440V. Cable with a maximum outer diameter of 15mm ²	
UKF2-63	2P 63A 440V. 最大外径 15mm ² 的电缆。 2P 63A 440V. Cable with a maximum outer diameter of 15mm ²	
UKF3-20	3P 20A 440V. 最大外径 15mm ² 的电缆。 3P 20A 440V. Cable with a maximum outer diameter of 15mm ²	
UKF3-35	3P 35A 440V. 最大外径 15mm ² 的电缆。 3P 35A 440V. Cable with a maximum outer diameter of 15mm ²	
UKF3-63	3P 63A 440V. 最大外径 15mm ² 的电缆。 3P 55A 440V. Cable with a maximum outer diameter of 15mm ²	
UKF4-20	4P 20A 440V. 最大外径 15mm ² 的电缆。 4P 20A 440V. Cable with a maximum outer diameter of 15mm ²	
UKF4-35	4P 35A 440V. 最大外径 15mm ² 的电缆。 4P 35A 440V. Cable with a maximum outer diameter of 15mm ²	
UKF4-63	4P 63A 440V. 最大外径 15mm ² 的电缆。 4P 55A 440V. Cable with a maximum outer diameter of 15mm ²	

SELHOT

防水配电箱系列 Waterproof distribution box 56CBN



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准：IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and anti-corrosion
Standard: IEC60670-24 GB/T17466.24



概述 /Summary

防水、防尘、防护等级 IP66, 抗紫外线, 灼热丝 650°C, 可根据客户要求随意开孔, 规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP66, UV resistant, and a scorching wire temperature of 650 °C . Holes can be opened according to customer requirements, with complete specifications and convenient installation.

明装 /Open mounted



型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
56CB4N	200	103	109	

暗装 /Concealed mounted



型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
56CB8N	199	199	112	

SELHOT

家用配电箱系列
Household distribution box

TSM



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准：IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and anti-corrosion

Standard: IEC60670-24 GB/T17466.24



概述 /Summary

防护等级 IP40

Protection level IP40

明装 /Open mounted



型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
TSM-2S	94	116	87	
TSM-4S	110	199	93	
TSM-6S	147	199	95	
TSM-8S	184	199	97	
TSM-10S	220	200	99	
TSM-12S	256	199	95	
TSM-15S	312	200	98	
TSM-18S	361	220	98	
TSM-24S	270	325	100	
TSM-36S	270	459	100	

暗装 /Concealed mounted



型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
TSM-4F	135	221	85	
TSM-6F	171	221	87	
TSM-8F	206	220	86	
TSM-10F	243	220	90	
TSM-12F	280	222	88	
TSM-15F	335	222	86	
TSM-18F	400	253	98	
TSM-24F	300	344	98	
TSM-36F	300	481	96	

SELHOT

经济配电箱系列
Economic distribution box

HAG



特点 /Characteristic

适用于防水、防尘、防腐蚀等特殊场合
符合标准：IEC60670-24 GB/T17466.24

Suitable for special occasions such as waterproof, dustproof and anti-corrosion
Standard: IEC60670-24 GB/T17466.24



概述 /Summary

防护等级 IP30

Protection level IP30

产品尺寸 /Product size

型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
HAG II -1P	34	130	60	
HAG II -2P	52	130	60	
HAG II -4P	87	130	60	
HAG II -6P	125	160	60	
HAG II -8P	160	160	60	
HAG II -12P	258	160	60	
HAG II -18P	365	160	60	

SELHOT

防水接线盒 Waterproof junction box JK



特点 /Characteristic

- JK 分线盒 (适用导线截面积 1.5mm^2 - 240mm^2);
- Mi 组合式配电装置 (IP65, 额定工作电流至 1000A);
- JK junction box (applicable wire sectional area 1.5mm^2 to 240mm^2);
- Mi combined power distribution device (IP65, rated working current to 1000A);



概述 /Summary

防水、防尘、防护等级 IP65, 抗紫外线, 灼热丝 650°C

Waterproof, dustproof, protection level IP65, UV resistant, hot wire 650 °C

产品尺寸 /Product size

型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
9025(包括 4 个 ESM20 管接头) 9025 (including 4 ESM20 pipe coupling)	88	88	53	
9125(包括 4 个 ESM20 管接头) 9125 (including 4 ESM20 pipe coupling)	88	88	53	
9045(包括 4 个 ESM20 管接头) 9045 (including 4 ESM20 pipe coupling)	98	98	61	
9065(包括 4 个 ESM20 管接头) 9065 (including 4 ESM20 pipe coupling)	119	139	70	
9105(包括 4 个 ESM20 管接头) 9105 (including 4 ESM20 pipe coupling)	125	167	82	
9255(包括 4 个 ESM20 管接头) 9255 (including 4 ESM20 pipe coupling)	160	200	98	
9355(包括 4 个 ESM20 管接头) 9355 (including 4 ESM20 pipe coupling)	210	260	117	
9505(包括 4 个 ESM20 管接头) 9505 (including 4 ESM20 pipe coupling)	310	210	117	

SELHOT

防水接线盒 Waterproof junction box AG



特点 /Characteristic

通过 CE、RoHS 检测认证，即使在作业的时候下起大雨也是不会进水的，非常安全。

Through CE and RoHS testing certification, even if it rains heavily during work, it will not enter the water, making it very safe.



概述 /Summary

防水、防尘、防护等级 IP67，抗紫外线，可根据客户要求随意开孔，规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP67 and UV resistance, holes can be opened according to customer requirements, with complete specifications and convenient installation.

产品尺寸 /Product size

型号	长 L	宽 W	高 H	外形尺寸图 External Size
AG-10010075	100	100	75	
AG-100100100	100	100	100	
AG-1108070	110	80	70	
AG-12512575	125	125	75	
AG-125125100	125	125	100	
AG-1308070	130	80	70	
AG-175175100	175	175	100	
AG-1808070	180	80	70	
AG-200150100	200	150	100	
AG-200200100	200	200	100	
AG-2508070	250	80	70	
AG-250150100	250	150	100	
AG-300200170	300	200	170	

SELHOT

防水接线盒
Waterproof junction box

SHQ3



特点 /Characteristic

通过 CE、RoHS 检测认证，即使在作业的时候下起大雨也是不会进水的，非常安全。

Through CE and RoHS testing certification, even if it rains heavily during work, it will not enter the water, making it very safe.



概述 /Summary

防水、防尘、防护等级 IP65，规格齐全安装方便。

Waterproof, dustproof, with a protection level of IP65, complete specifications for easy installation.

产品尺寸 /Product size

型号 Model	长 L	宽 W	高 H	尺寸图 Dimension drawing
SHQ3-801	50		30	
SHQ3-802	50		50	
SHQ3-803	80		50	
SHQ3-804	80	80	50	
SHQ3-805	85	85	50	
SHQ3-806	100	100	70	
SHQ3-807	150	110	70	
SHQ3-808	150	150	70	
SHQ3-809	200	100	110	
SHQ3-8010	200	155	80	
SHQ3-8011	200	100	70	
SHQ3-8012	200	200	80	
SHQ3-8013	255	200	80	
SHQ3-8014	300	250	120	
SHQ3-8015	400	350	120	

本公司所述产品资料以实物为准。若有变更，恕不另行通知。本公司拥有最终解释权。
The product data referred to in the company shall be subject to material object.
Subject to change without notice. The company has the final right to interpret.

本画册采用生态纸印刷。珍惜资源，善待环境。
This album is printed with eco paper. Cherish resources, treat the environment.

浙江胜和电器有限公司

SELHOT

地址：浙江省温州市乐清经济开发区滨海南二路 88 号

电话：86-0577-61670698

网址：www.selhotele.com

邮箱：sh@selhot.com

ZHEJIANG SELHOT ELECTRIC CO.,LTD.

ADD: No.88, Binhai Nan 2nd Road, Yueqing EconomicDevelopment Zone, Yueqing Zhejiang

Tel: 86-0577-61670698

<https://www.selhotele.com>

Email: sh@selhot.com